Breeze.

distant.

...........

Brinks



VENUS

VENUS HOME APPLIANCES (P) LTD.

CENTRAL MARKETING OFFICE: 4/993, Kamaraj Street, Rajiv Gandhi Salai (OMR), Kottivakkam, Perungudi Post, Chennai - 600 096. Ph: 4340 1515 Customer Care: 08144666999 | Whatsapp: 09884064999 Email: customercare@venushomeappliances.com Website: www.venushomeappliances.com



Image: Constraint of the second state Over the years, Ver Image: Constraint of the second state Over the years, Ver Image: Constraint of the second state Image: Consecond state Image: Constraint of the second state</t

Over the years, Venus has always pushed the boundaries and brought to you the best of innovation and technology in water heaters. Be it the range, the features or path breaking technology, we have ensured that our products make your lives more convenient.

With the spirit of innovation and quality always at our core, Venus now presents its range of reliable, durable and high speed fans that are popular across all segments. Read on to know more about our range of fans. Venus is a Consumer focused company high on quality and innovation. From 60 years, we have pioneered in the category of water heaters and have expanded to Fans, Irons and Air coolers, both for home as well as institutions encompassing consumers across geographies both domestic as well as overseas. From Water heaters, Fans, Irons, Air coolers and more, we have a diverse portfolio which is ever-growing. Today Venus is a trusted name in both households as well as the institutional sector and has been a dominant force across categories. A dynamic and growing network makes our products accessible across different consumer segments as well as different geographies.

Coil Winding

ssem b₁,

Processing

Blade Proces

Shank

Painting

Machining

State of the Art Manufacturing Facilities

Our State of the Art Manufacturing facilities at Tuticorin has deployed the most modern technologies, latest Machinery and standardized testing equipment and also the latest manufacturing processes to deliver quality products at the desired level of precision. **BLDC** Fans have advanced **DC** Technology for trouble free performance and Easy operation

BLDC Technology

→ PCB Unit

 Double Ball Bearing

Â

Magnet

Steel Ring

Stator with Heavy Gauge Copper Winding BLDC Motor

L

30W

Energy Saving 56%

Shaft → Shaft

> Consumes Only 30 Watts

Halo ABS LED Fans

This Elegant fan comes with a regal design that gives a strong and silent breeze.

Air Craft Propeller Design for Better Air Thrust and Max Air Delivery



50% more angle than Ordinary Fans for a Strong Breeze


RUST PROOF ABS BLADE
WITH PRECISE CURVATURE



Sonic BLDC

Sonic BLDC Fans consume less energy fans which provide high airflow, makes them energy-efficient and cost effective. Stunning design and advanced technology makes an ideal combination.

| Model | Sweep | Air Delivery | Speed | Power |
|--------|--------|--------------|-------|---------|
| No | (mm) | (CMM) | (RPM) | (Watts) |
| SB1200 | 1200mm | 220 | 350 | 30 |





Aerodynamic &

Unique Design



Energy Saving 56%

Consumes Only 30 Watts

30W

Dust Resistant

Higher Blade Angle

Brushless DC Motor (BLDC) Technology

Electrolytic Grade

Copper Winding

Remote Based Speed Control

 $\overline{}$

ĉ

5 Years Guarantee

5



Vector **BLDC**

Vector BLDC Fans have advanced DC technology for trouble free performance and easy operation. This guarantees high speed air delivery & consumption of just 30 watts of power. Vector fans run smoothly and silently even at low voltages or when powered by Inverters.

| Model | Sweep | Air Delivery | Speed | Power |
|--------|--------|--------------|-------|---------|
| No | (mm) | (CMM) | (RPM) | (Watts) |
| VB1200 | 1200mm | 220 | 350 | 30 |





Sigma BLDC

Sigma BLDC Fan offers high speed, air delivery & consumes only 34 watts power with the advanced DC technology. It runs smoothly and silently even at low voltages without any difference in speed. Inverter compatible with no noise. Save upto 60% on electricity bills and enjoy the convenience of Remote Control operation.

| Model | Sweep | Air Delivery | Speed | Power |
|---------|--------|--------------|-------|---------|
| No | (mm) | (CMM) | (RPM) | (Watts) |
| SCD1200 | 1200mm | 218 | 380 | 34 |









Hi Speed



100 % pure copper winding motor



Brushless DC Motor (BLDC) Technology



Seamless operation even with Inverter

Remote Based Speed Control





Sonic Pro

Ergonomically designed sleek blades, reliable and durable motor for smooth operation and matchless design makes sonic pro fans the perfect one for your decorative interiors.

| Model | Sweep | Air Delivery | Speed | Power |
|--------|--------|--------------|-------|---------|
| No | (mm) | (CMM) | (RPM) | (Watts) |
| SP1200 | 1200mm | 220 | 390 | 50 |





Unique Design



Hi Speed

Motor Reliable & Durable

Dust Resistant



Higher Blade Angle

Sealed Double **Ball Bearing**

Electrolytic Grade Copper Winding

2 Years Guarantee

2

Higher Air Delivery



Adorna

Rust proof construction, metallic 3 layer coating, reliable and durable motor and 100% aluminium body and blades make Adorna fans the perfect choice.

| Model | Sweep | Air Delivery | Speed | Power |
|--------|--------|--------------|-------|---------|
| No | (mm) | (CMM) | (RPM) | (Watts) |
| AA1200 | 1200mm | 220 | 400 | 50 |





Vector Pro

Hi Speed

Vector Pro comes with a high speed of 390 RPM, a reliable and durable motor and an assortment of colours that can be matched with your interiors.

| Model | Sweep | Air Delivery | Speed | Power |
|--------|--------|--------------|-------|---------|
| No | (mm) | (CMM) | (RPM) | (Watts) |
| VP1200 | 1200mm | 220 | 390 | 50 |






Matrix Pro

The Matrix Pro collection, with wider blades for high air circulation and 100% Aluminium body and blades offers maximum comfort at minimum prices

| Model | Sweep | Air Delivery | Speed | Power |
|--------|--------|--------------|-------|---------|
| No | (mm) | (CMM) | (RPM) | (Watts) |
| MP1200 | 1200mm | 210 | 390 | 50 |









Zapper Pro

Zapper pro fans offers high cool breeze. yet another beauty to suit your interiors.

| Model | Sweep | Air Delivery | Speed | Power |
|--------|--------|--------------|-------|---------|
| No | (mm) | (CMM) | (RPM) | (Watts) |
| ZP1200 | 1200mm | 210 | 390 | 50 |





Halo

Halo ABS LED Fans comes with the convenience of ABS Blade and LED light easily controlled by remote. This Elegant fan comes with a regal design that gives a strong and silent breeze.

| Model | Sweep | Air Delivery | Speed | Power |
|---------|--------|--------------|-------|---------|
| No | (mm) | (CMM) | (RPM) | (Watts) |
| HPL1200 | 1200mm | 230 | 300 | 90+15 |



Deep Wood Grain



Air Craft **Propeller Design**



Wider Air Delivery



[6]

15W

LED Light

ABS Blade





Motor







Novella

The stylish Novella is an elegant fan with an exquisite combination of striking design and splendid looks. This classic fan gives the experience of strong and silent breeze over a larger area powered by inclined abs blades.

| Model | Sweep | Air Delivery | Speed | Power |
|--------|--------|--------------|-------|---------|
| No | (mm) | (CMM) | (RPM) | (Watts) |
| NP1200 | 1200mm | 240 | 300 | 75 |





Aerodynamic design blades for greater air delivery



Strong & Silent Operation

ABS Blades - Rust Proof Construction



18 Pole Powerful Motor






Higher Air delivery

Striking Design, PU Coated for premium finish



Farrata Fans

Farrata Fan from Venus is distinctively designed to provide Power packed performance with stylish metallic looks. Elegant design, Rust proof body and blades, Dynamically balanced metal blade makes it a completely sturdy model. Heavy weight, Extra strong motor, Attractive corrosion resistant metallic finish and Rust proof wire guards. Overall it is a stylish high speed pedestal fan.



Heavy Duty Motor

Aluminum Blade **Higher Air Delivery**

3 Speed Regulator Rugged Durable





Pedestal Fans

This range is available in regular and Hi-speed models. Light but sturdy construction. Place anywhere for a strong and cool breeze.









Hi Speed 2000 RPM

Jerk Free Wide Oscillation





SWAY⁺

Model : SPF400

Elegant Design

3 Speed options

Oscillation Provided

Jerk free





Oscillation

Provided



Elegant Design

3 speed options

Large & Heavy base for stability



Table Fans

Table top models for convenient operation. Available in regular and Hi-speed models. Perfect way to cool down in hot summer.



Model : SHT400

- 400 mm sweep 110W Power
- 2000 RPM 85cmm Air Delivery
- Elegant Design
- Strong air delivery
- Piano switches for speed control
- 3 Speed options
- Temperature Overload Protection
- Oscillation Provided







Hi Speed 2000 RPM **Rust Proof** PP Blade

Piano Switches for Speed Control





Model : STF-400

- 400 mm sweep 60W Power
- 1300 RPM 65cmm Air Delivery
- Elegant Design
- 3 Speed options
- Oscillation Provided
- Available colour White and Sky Blue








2

Elegant Design 3 speed options Oscillation Provided



Wall Fans

Simple and elegant design to match your interiors. In regular and Hi-speed fans with wider air delivery.













Elegant Design

3 speed options Large & Heavy Base for stability

Oscillation Provided



Exhaust Fans

Rejuvenate your kitchen and bathrooms with fresh air in minutes. Stylish and modern design to match the interiors.

a a

Fresh-X

Vestra exhaust fans are made from strong and rust proof ABS plastic. Louvre type design for privacy & protection from wind, rain and dust. Simple and easy to install design.

Axial



Exair exhaust fans are great for the kitchen to exhaust the oily fumes and odour. Keeps the kitchen fresh at all times. Rugged construction ensures reliable performance for years.



FPE150 / FPE200 / FPE250

| Model No | Sweep (mm) | Air Delivery (CMM) | Speed (RPM) | Power (Watts) |
|-------------|---------------|-----------------------|----------------|------------------|
| FPE150 | 150 mm | 9.00 | 2400 | 50 |
| FPE200 | 200 mm | 8.60 | 1290 | 45 |
| FPE250 | 250 mm | 14.30 | 1290 | 45 |



AVF 150

| | Model | Sweep | Air Delivery | Speed | Power |
|---|--------|--------|--------------|-------|---------|
| | No | (mm) | (CMM) | (RPM) | (Watts) |
| , | AVF150 | 150 mm | 4.30 | 2100 | 25 |



EBB225/300

| Model No | Sweep (mm) | Air Delivery (CMM) | Speed (RPM) | Power (Watts) |
|-------------|---------------|-----------------------|----------------|------------------|
| EME225 | 225 mm | 10.00 | 1350 | 32 |
| EME300 | 300 mm | 20.00 | 1350 | 38 |

• High Perfomance Motor for Hi-Air Throw


- Bush Bearing
- Sturdy Metal Body and Blade
- Rust Proof Plastic Bird Guard

















100% Copper Coil **Reliable Motor**

Easy Installation Mounting Bracket

Protection


ABS Body Dust, Smell & Rain Long Life & Durable Bush Bearing Thermal Overload Protector

Metal Body Metal Blade Long Life & Durable Higher Air Delivery **Bush Bearing**

Guidelines for Selection of ceiling fans


Recommended Minimum Fresh Air Supply refer the figure 1 below :

| Air Space/Person | Air Supply/Person | Air Changes/Hour |
|------------------|-------------------|------------------|
| 3 m ³ | 61 m³/Hour | 20 |
| 6 m ³ | 40 m³/Hour | 6.5 |
| 9 m³ | 29 m³/Hour | 3.2 |
| 12 m³ | 21 m³/Hour | 1.8 |



For large hall, auditoriums, offices, install two or more ceiling fans with a space as specified refer the figure 2 below :

| Sweep of fan | Center Distance | |
|---------------|-----------------|---------------------|
| 900 mm (36") | 6 feet | (1.82 mtrs. approx) |
| 1050 mm (42") | 7 feet | (2.13 mtrs. approx) |
| 1200 mm (48") | 8 feet | (2.43 mtrs. approx) |
| 1400 mm (56") | 10 feet | (3 mtrs. approx) |



| General Guidelines for Ceiling Fan & Exhaust Fan | | | |
|--|------------------|----------------------|-------------------|
| Model | Sweep (MM) | Suitable For Room | Size |
| Ceiling Fan | 600mm (24 Inch) | For small shops, Cal | oins, Toilets |
| Ceiling Fan | 900mm (36 Inch) | 2.1 x 3.1 m | (7 x 10 feet) |
| Ceiling Fan | 1050mm (42 Inch) | 3.1 x 3.1 m | (10 x 10 feet) |
| Ceiling Fan | 1200mm (48 Inch) | 3.7 x 4.0 m | (12 x 13 feet) |
| Ceiling Fan | 1400mm (52 Inch) | 4.3 x 4.9 m | (14 x 16 feet) |
| Domestic Exhaust Fan | 150mm (6 Inch) | 1.8 x 1.8 x 2.7 m | (6 x 6 x 9 feet) |
| Domestic Exhaust Fan | 200mm (8 Inch) | 1.8 x 1.8 x 2.7 m | (6 x 6 x 9 feet) |
| Domestic Exhaust Fan | 225mm (8.8 Inch) | 2.4 x 2.4 x 2.7 m | (8 x 8 x 9 feet) |
| Domestic Exhaust Fan | 300mm (12Inch) | 3.1 x 2.4 x 2.7 m | (10 x 8 x 9 feet) |

 Selection Criteria and Recommended Minimum Fresh Air Supply Selection Criteria For Exhaust Fans

 Area
 Air Changes Per Hour

 Starage Area (Decied area
 1.0, 2.0

| | Storage Area/Resisdence | 1.0 - 2.0 |
|---|--|----------------------------|
| | Class rooms/Libraries | 2.0 - 4.0 |
| ç | Assembly Hall/Labs | 4.0 - 6.0 |
| l | Bars/Hospital ward/Lavatories | 6.0 - 8.0 |
| | Garages/Theaters/Workshops | 6.0 - 10.0 |
| | Cafes/Canteens | 8.0 - 12.0 |
| _ | ouros, ourreorro | |
| | Restaurants/Laundries | 10.0 - 15.0 |
| | | |
| | Restaurants/Laundries | 10.0 - 15.0 |
| | Restaurants/Laundries Bakeries/Canteen Kitchens | 10.0 - 15.0 15.0 - 30.0 |



Venus designs its products to meet demanding national and international standards. You can be sure that this drive for quality is matched by the customer satisfaction record that our after sales service strives for. "Service within 24 hours" is the promise of our committed service personnel. With more than 300+ service centers throughout the country, prompt, economical and reliable service will reach you, wherever you are.



For service with warmth Call Customer Care

08144666999
09884064999





Service in Genuine 24 hours spare parts

Nationwide s Service